

























































項次	型號	擠型(mm)	長度(M)	下限(kg/支)	上限(kg/支)	備註
1	6325		6.0	1.57	1.73	小太陽
2	6326		6.0	1.97	2.17	插管
3	6801		6.0	1.73	1.91	插管
4	6836		6.0	1.52	1.69	插管
5	CW006		6.0	2.34	2.58	插管
6	1026		6.0	4.75	5.25	1200型 外框上固定
7	1039		6.0	3.83	4.23	外框
8	1026A		6.0	4.48	4.95	外框固定
9	8204		6.0	2.93	3.24	外框(薄)
10	8204A		6.0	3.60	3.98	外框(厚)
11	8204B		6.0	4.20	4.65	外框(高)
12	8204E		6.0	3.81	4.21	外框(彎弧料)
13	8204C		6.0	4.27	4.72	外框(4分嶺)
14	8204D		6.0	3.00	3.31	外框(4分嶺)
15	8204F		6.0	3.25	3.59	外框(特殊嵌合)
16	8204G		6.0	4.58	5.07	外框(4分嶺) (有毛刷槽)

項次	型號	擠型(mm)	長度(M)	下限(kg/支)	上限(kg/支)	備註
17	8204H		6.0	2.53	2.80	外框(4分嶺)
18	7007		6.0	2.80	3.10	外框(厚)
19	7007A		6.0	3.50	3.87	外框(彎弧料)
20	7007B		6.0	2.49	2.76	外框(薄)
21	1031		6.0	5.72	6.32	外框上固定 (加大)
22	1040		6.0	9.69	10.71	外框中腰 (有毛刷槽)
23	1030		6.0	6.38	7.05	外框固定
24	6586		6.0	10.62	11.74	外框固定 (彎弧料)
25	6542		6.0	7.54	8.34	外框固定 (彎弧料)
26	7021		6.0	6.08	6.72	外框固定 (彎弧料)
27	8229		6.0	6.11	6.75	外框固定 (彎弧料)
28	8027		6.0	10.24	11.32	外框固定 (彎弧料)
29	8218		6.0	7.66	8.46	外框固定 (彎弧料)
30	8219		6.0	6.68	7.39	外框固定 (彎弧料)
31	6850		6.0	3.70	4.09	135° 轉角料
32	6469		6.0	4.94	5.46	135° 轉角料

項次	型號	擠型(mm)	長度(M)	下限(kg/支)	上限(kg/支)	備註
33	6482		6.0	2.14	2.36	135° 轉角料
34	4908		6.0	5.78	6.39	花架座料
35	3209		6.0	15.22	16.82	把手
36	3775		6.0	2.29	2.53	把手
37	2827		6.0	1.51	1.67	軌道(把手)
38	7117		6.0	0.88	0.98	軌道
39	6459		6.0	5.54	6.13	軌道
40	6271		6.0	7.55	8.34	8公分轉角
41	6272		6.0	6.03	6.67	10公分窗台 (舊換新窗用)
42	6272B		6.0	4.51	4.98	10公分窗台 (舊換新窗用)
43	JF8884		6.0	3.97	4.39	
44	6269		6.0	3.59	3.96	10公分窗台 (舊換新窗用)
45	4900		6.0	3.86	4.27	10公分窗台 (舊換新窗用)
46	1087		6.0	6.03	6.67	10公分窗台 (舊換新窗用)
47	1088		6.0	6.45	7.13	10公分窗台 (預埋)
48	4255		6.0	5.41	5.98	10公分窗台

項次	型號	擠型(mm)	長度(M)	下限(kg/支)	上限(kg/支)	備註
49	3318		6.0	3.32	3.67	9公分窗台 (舊換新窗用)
50	6273		6.0	4.22	4.66	8公分窗台 (舊換新窗用)
51	ST8210		6.0	1.74	1.93	推窗併料
52	9708		6.0	2.16	2.39	併料
53	3425		6.0	1.68	1.86	邊飾料
54	3330		6.0	1.31	1.45	窗邊飾料
55	3470		6.0	1.41	1.56	邊飾料
56	4914		6.0	2.43	2.68	邊飾料
57	3489		6.0	2.32	2.56	邊飾料
58	4924		6.0	1.12	1.24	邊飾料
59	3490		6.0	1.34	1.48	邊飾底座
60	3879		6.0	17.30	19.12	槽型鋁
61	3876		6.0	12.62	13.95	L型鋁
62	6383		6.0	3.34	3.69	1200型補助支
63	3380		6.0	2.09	2.31	壓尺 (建築土水用)
64	3340		6.0	2.18	2.41	壓尺 (建築土水用)

