






















項次	型號	擠型(mm)	長度(M)	下限(kg/支)	上限(kg/支)	備註
1	3942	 25 17.2 T=2.0	6.0	2.08	2.18	
2	3240	 12.7 19.05 T=1.0	6.0	0.72	0.76	
3	4299	 9.2 32 T=1.3	6.0	1.06	1.11	
4	6409	 25 32.9 T=2.5	6.0	3.58	3.76	底部厚度3.0
5	6019	 40 34.6 T=1.3	6.0	2.49	2.62	
6	H1836	 40 36 T=3.0	6.0	5.66	5.95	
7	LD001	 12.5 38.0 T=2.0	6.0	2.02	2.12	
8	6560	 38 38 T=3.0	6.0	5.56	5.84	
9	6003	 12.7 38.1 T=1.1	6.0	1.13	1.19	
10	5346	 38 40 T=1.5	6.0	2.90	3.05	
11	9925	 40 40 T=1.5	6.0	3.01	3.16	
12	3275	 25 40.5 T=2.0	6.0	2.97	3.12	(4.5公分) 方管接料
13	AC002	 25 41 T=2.0	6.0	2.98	3.13	
14	6594	 18 43.7 T=1.6	6.0	2.10	2.20	
15	6446	 23 43.7 T=1.6	6.0	2.37	2.49	
16	LD007	 15.88 44.76 T=2.38	6.0	2.92	3.07	

項次	型號	擠型(mm)	長度(M)	下限(kg/支)	上限(kg/支)	備註
17	5310		6.0	0.97	1.02	
18	6291		6.0	4.27	4.49	
19	6434		6.0	1.27	1.33	
20	LL1050		6.0	1.45	1.52	
21	5302		6.0	3.16	3.32	
22	DW8781		6.0	5.84	6.13	
23	5303		6.0	3.01	3.16	
24	6436		6.0	4.48	4.70	
25	3698		6.0	14.91	15.65	
26	LD002		6.0	5.42	5.69	
27	3214		6.0	3.48	3.66	
28	LD003		6.0	7.44	7.81	
29	6445		6.0	5.72	6.01	
30	5301		6.0	8.55	8.98	
31	BC2604		6.0	9.97	10.46	
32	LD004		6.0	7.46	7.84	



槽 鋁

項次	型號	擠型(mm)	長度(M)	下限(kg/支)	上限(kg/支)	備註
33	5305		6.0	23.82	25.01	
34	5631		6.0	6.70	7.04	
35	5304		6.0	21.13	22.18	
36	5311		6.0	8.29	8.70	
37	5312		6.0	7.14	7.50	